



D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

May 3, 2001

Mr. Eric Wilson
USEPA Region II
2890 Woodbridge Ave.
Edison, NJ 08837

Re: Cornell Dubilier Electronics Site

Dear Mr. Wilson:

Attached is the operations and maintenance log for the month of April, 2001. This is in accordance with the Site Operations Plan.

If you have any questions, please do not hesitate to call.

Sincerely,
DSC of Newark Enterprises, Inc.

Lara Coraci
Assistant to the President

LC/me

South Plain Field

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
DAY OF MONTH	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓	meet with EPA - About Repairs				
18	✓	✓	✓	✓	✓	✓	✓	✓	Snow Fence Repairs				
19	✓	✓	✓	✓	✓	✓	✓	✓	Snow Fence Repair By Building 11#				
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	○	○	○	○	○	○	○	○					
22	○	○	○	○	○	○	○	○					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	○	○	○	○	○	○	○	○					
29	○	○	○	○	○	○	○	○					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31													

86 George
Sat.

Key: ✓ SYSTEM OK ☐ SYSTEM FAILURE ○ SYSTEM NOT INSPECTED
 ☑ FAILURE FIXED ☒ FAILURE NOT FIXED

April

Month/Year: 4/1/2001

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

June 5, 2001

Mr. Eric Wilson
USEPA Region II
2890 Woodbridge Ave.
Edison, NJ 08837


Re: Cornell Dubilier Electronics Site

Dear Mr. Wilson:

Attached is the operations and maintenance log for the month of May, 2001. This is in accordance with the Site Operations Plan.

If you have any questions, please do not hesitate to call.

Sincerely,
DSC of Newark Enterprises, Inc.



Lara Coraci
Assistant to the President

LC/me

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDING AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	○	○	○	○	○	○	○	○					
6	○	○	○	○	○	○	○	○					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓	- Repair Fence By Building	11#			
11	✓	✓	✓	✓	✓	✓	✓	✓	Fixed Fence Totally				
12	○	○	○	○	○	○	○	○					
13	○	○	○	○	○	○	○	○					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	○	○	○	○	○	○	○	○					
19	○	○	○	○	○	○	○	○					
20	○	○	○	○	○	○	○	○					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	○	○	○	○	○	○	○	○					
27	○	○	○	○	○	○	○	○					
28	○	○	○	○	○	○	○	○					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year: May

D S C of Newark Enterprises, Inc.
70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

July 5, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
June Operations & Maintenance Log-Submission

Dear Mr. Wilson:

As we have discussed during our July 2, 2001 telephone conversation, I have been recently hired by DSC of Newark Enterprises, Incorporated as their internal Environmental Compliance Coordinator. As such, I am looking forward to working with you to ensure compliance with any and all directives associated with the above noted site.

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of June 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT: Lara

CORNELL-DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year: June / 2001

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

19731589-4200
FAX 19731578-8845

August 10, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
July Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of June 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

Handwritten: LARA

CORNELL JUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓			SNOW FENCE Broken B, 5A		
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓					

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year: *July*

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET

NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

August 10, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
July Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of June 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator



















cc: L. Coraci
File

ATL
Lara

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
DAY OF MONTH	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓	SNOW Fence Broken By 5A				
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year: July

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET

NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

September 4, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
July Operations & Maintenance Log Submission


Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of August 2001.

Please advise as to when and/or whether or not the Operation and Maintenance Log should be forwarded to Mr. Peter Mannino, Remedial Project Manager, U.S. Environmental Protection Agency, Region II, 290 Broadway, New York, New York 10007-1866.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

cc: [illegible]
[illegible]

cc: [illegible]
[illegible]

cc: [illegible]
[illegible]

ATT
Joe

8/1/2001

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	○	○	○	○	○	○	○	○					
5	○	○	○	○	○	○	○	○					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	○	○	○	○	○	○	○	○					
12	○	○	○	○	○	○	○	○					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	○	○	○	○	○	○	○	○					
19	○	○	○	○	○	○	○	○					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	○	○	○	○	○	○	○	○					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	○	○	○	○	○	○	○	○					

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

October 9, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
September Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of September 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

File
File

File

ATT JOE & LARA

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
DAY OF MONTH	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1													
2													
3													
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	☐	✓	✓					
7	✓	✓	✓	✓	✓	☑	✓	✓					
8	○	○	○	○	○	○	○	○					
9	○	○	○	○	○	○	○	○					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	○	○	○	○	○	○	○	○					
16	○	○	○	○	○	○	○	○					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	○	○	○	○	○	○	○	○					
23	○	○	○	○	○	○	○	○					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	○	○	○	○	○	○	○	○					
30	○	○	○	○	○	○	○	○					
31													

Key: ✓ SYSTEM OK

☐ FAILURE FIXED

SNOW FENCE DOWN BY BUILDING #11

SNOW FENCE FIXED

INSPECTED BY: [Signature]

REVIEWED BY: [Signature]

Key: ✓ SYSTEM OK ☑ FAILURE FIXED
 ☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
 ○ SYSTEM NOT INSPECTED

Sept 2001

Month/Year: _____

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

November 5, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
September Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of October 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

five Or
air ons

For the month of October 2001

On 11/05/01, DSC of Newark Enterprises, Inc. submitted a copy of the Operations and Maintenance Log for the month of October 2001 to the USEPA Region II, ERRD/RAB (MS-211) for review and comment.

For the month of

ATT Bob or Lara

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDING AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	○	○	○	○	○	○	○	○					
7	○	○	○	○	○	○	○	○					
8	○	○	○	○	○	○	○	○					
9	○	○	○	○	○	○	○	○					
10	○	○	○	○	○	○	○	○					
11	○	○	○	○	○	○	○	○					
12	○	○	○	○	○	○	○	○					
13	○	○	○	○	○	○	○	○					
14	○	○	○	○	○	○	○	○					
15	○	○	○	○	○	○	○	○					
16	○	○	○	○	○	○	○	○					
17	○	○	○	○	○	○	○	○					
18	○	○	○	○	○	○	○	○					
19	○	○	○	○	○	○	○	○					
20	○	○	○	○	○	○	○	○					
21	○	○	○	○	○	○	○	○					
22	○	○	○	○	○	○	○	○					
23	○	○	○	○	○	○	○	○					
24	○	○	○	○	○	○	○	○					
25	○	○	○	○	○	○	○	○					
26	○	○	○	○	○	○	○	○					
27	○	○	○	○	○	○	○	○					
28	○	○	○	○	○	○	○	○					
29	○	○	○	○	○	○	○	○					
30	○	○	○	○	○	○	○	○					
31	○	○	○	○	○	○	○	○					

SNOW FENCE DOWN BY BUILDING #13
SNOW FENCE FIXED

Key: ✓ SYSTEM OK □ FAILURE FIXED
 □ SYSTEM FAILURE □ FAILURE NOT FIXED
 ○ SYSTEM NOT INSPECTED

OCT -Month/Year: 10/2001

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

December 3, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
September Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of November 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

Att, Joe or Lara

South Plain Field

CORNELL JUBILIEE ELECTRONICS SITE
SOUTH PLAINFIELD NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

TOTAL P.01

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SCEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year 11/1/2001

P.01

19735788845

TO

JAN-01-1900 12:01 FROM

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

December 31, 2001

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
September Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of December 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe

South Plain Field

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDING AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year: 12/2001

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

March 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
February Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of February 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe:

South Plainfield NJ

CORNELIUS JUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED
☐ SYSTEM NOT INSPECTED

Month/Year: 1/2002

JAN-01-1900 12:00 FROM

TO

19735788845

P.01

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

January 31, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
December Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of November 2001.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

Site Or
Maintenance

USEPA REGION II
CERCLA-97-0109
November 2001
Operations and Maintenance Log

ATT
Joe.

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	0	0	0	0	0	0	0	0			off		
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	0	0	0	0	0	0	0	0					
6	0	0	0	0	0	0	0	0			off		
7	0	0	0	0	0	0	0	0					
8	0	0	0	0	0	0	0	0					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓			off		
12	0	0	0	0	0	0	0	0					
13	0	0	0	0	0	0	0	0					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	0	0	0	0	0	0	0	0					
20	0	0	0	0	0	0	0	0					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	0	0	0	0	0	0	0	0					
27	0	0	0	0	0	0	0	0					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ☒ SYSTEM OK ☒ FAILURE FIXED

11/200

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

April 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
March Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of March 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

TOTAL P.01

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☐ SYSTEM FAILURE ☑ FAILURE FIXED ☒ FAILURE NOT FIXED

March 3/01

P.01

1973578845

TO

JAN-01-1900 12:02 FROM

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

May 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
April Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of April 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe

South Plainfield

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

TOTAL P.01

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓	- Repaired Fence By Building 11#				
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☒ FAILURE FIXED

ADD 1

P.01

19735788845

TO

JAN-01-1900 12:01 FROM

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

June 3, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
May Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of May 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT. Joe

is South Plain Field
Report

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

July 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
June Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of June 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

CORNELL-DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

South Plain Field

June
2002

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
DAY OF MONTH	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓			Fence fell down by building #13		
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	○	○	○	○	○	○	○	○					
9	○	○	○	○	○	○	○	○					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	○	○	○	○	○	○	○	○					
16	○	○	○	○	○	○	○	○					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓			Fence was hit by truck in middle Island		
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	○	○	○	○	○	○	○	○					
23	○	○	○	○	○	○	○	○					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	○	○	○	○	○	○	○	○					
29	○	○	○	○	○	○	○	○					
30	○	○	○	○	○	○	○	○					
31	○	○	○	○	○	○	○	○					

Key: ✓ SYSTEM OK
○ FAILURE FIXED

Key: ✓ SYSTEM OK ☐ SYSTEM FAILURE ☑ FAILURE FIXED ☒ FAILURE NOT FIXED

~~Time~~ Time

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

August 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
July Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of July 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT
Joe

South Plain Field

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

TOTAL P.01

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	SCURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	Acoustic Fence down called Joe				
31	✓	✓	✓	✓	✓	✓	✓	Same				

Key: ✓ SYSTEM OK □ FAILURE FIXED
 ✗ SYSTEM FAILURE ☒ FAILURE NOT FIXED

NOTE: Fence Adjacent to Round Tree Service Replaced
by Roundi on 8/18/02

Joe

Month/Year: 7/2002

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

August 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
August Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of September 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT. Joe

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW/FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK (1) FAILURE FIXED
(2) SYSTEM FAILURE (3) FAILURE NOT FIXED

Sept 2002 - South Plain Field

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

September 9, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
August Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of August 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe

Aug

CORNELL SUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

TOTAL P.01

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓	Record	Fence Fixed			
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☐ FAILURE FIXED
 ☐ SYSTEM FAILURE ☐ FAILURE NOT FIXED

P.01

19735788845

TO

JAN-01-1900 12:00 FROM

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

November 1, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
October Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of October 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.

Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT. Joe Lockwood

South Plain Field

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

TOTAL P.01

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓		Building 13 Fence			
2	✓	✓	✓	✓	✓	✓	✓	Fixed				
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☐ FAILURE FIXED ☐ FAILURE NOT FIXED

not done

1973578845 P.01

TO

JAN-01-1900 12:00 FROM

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

December 6, 2002

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
November Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of November 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATI
Joe

CORNELL DUBILIER ELECTRONICS SITE
SOUTH-PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key ✓ SYSTEM OK (X) FAILURE FIXED

NOV 2002

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

January 2, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
December Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of December 2002.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	□	□	FENCE ON TETRAPOD Broken				
10	✓	✓	✓	✓	✓	□	□	Fixed				
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓					
14	○	○	○	○	○	○	○					
15	○	○	○	○	○	○	○					
16	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	○	○	○	○	○	○	○					
22	○	○	○	○	○	○	○					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	○	○	○	○	○	○	○					
29	○	○	○	○	○	○	○					
30	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓					

Key: ☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☐ FAILURE NOT FIXED

Dec 2005
Month/Year

ATT JOC
Lockwood

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

February 4, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
January Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of January 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ALL DATE LOCK 2000

CONELL-JUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1												
2	✓	✓	✓	✓	✓	✓	✓	Fence around D # 12			John York	
3	✓	✓	✓	✓	✓	✓	✓	" "	" "			
4	○	○	○	○	○	○	○					
5	○	○	○	○	○	○	○					
6	✓	✓	✓	✓	✓	✓	✓	Repaired				
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	○	○	○	○	○	○	○					
11	○	○	○	○	○	○	○					
12	○	○	○	○	○	○	○					
13	○	○	○	○	○	○	○					
14	○	○	○	○	○	○	○					
15	○	○	○	○	○	○	○					
16	○	○	○	○	○	○	○					
17	○	○	○	○	○	○	○					
18	○	○	○	○	○	○	○	Plant Field 3 Area				
19	○	○	○	○	○	○	○					
20	○	○	○	○	○	○	○					
21	○	○	○	○	○	○	○					
22	○	○	○	○	○	○	○					
23	○	○	○	○	○	○	○					
24	○	○	○	○	○	○	○					
25	○	○	○	○	○	○	○					
26	○	○	○	○	○	○	○					
27	○	○	○	○	○	○	○					
28	○	○	○	○	○	○	○					
29	○	○	○	○	○	○	○					
30	○	○	○	○	○	○	○					
31	○	○	○	○	○	○	○					

☒ SYSTEM OK ☒ FAILURE FIXED
☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED

Month/Year Jan 2003

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

March 3, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
February Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of February 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT: Joe Lockwood

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
DAY OF MONTH	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29													
30													
31													

Key ✓ SYSTEM OK

✗ FAILURE FIXED
✗ FAILURE NOT FIXED

Month/Year Feb 2005

D S C of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

April 1, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
March Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of March 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

A11 Joe Lockwood

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓			Snow Fence middle Island crusted		
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓			Snow Fence middle Island ran over		
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓			Fixed		
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓			Fence Broken middle, truck ran over		

Key: ✓ SYSTEM OK ☒ FAILURE FIXED
 ☐ SYSTEM FAILURE ☒ FAILURE NOT FIXED

Month/Year March 2005

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

May 1, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
April Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of April 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT: Joe Lockwood

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

CORNELL JUDILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

OPERATIONS & MAINTENANCE ACTIVITY										CERTIFICATION			
DAY OF MONTH	SYSTEMS TO BE INSPECTED								ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS					
1	✓	✓	✓	✓	✓	✓	✓	✓	Fence in middle				
2	✓	✓	✓	✓	✓	✓	✓	✓	repaired				
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓	Middle Fence				
8	✓	✓	✓	✓	✓	✓	✓	✓	Middle Fence				
9	✓	✓	✓	✓	✓	✓	✓	✓	Fixed Fence - installed new one				
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK
 ✗ SYSTEM FAILURE
 ⊠ FAILURE FIXED
 ⊡ FAILURE NOT FIXED

April 2003

Month/Year

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

June 2, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
May Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of May 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	AS COMPLETED	REVIEWED
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓		Fence 11/8/12			
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓		Repaired Fence 11/8/12			
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31													

Key: ✓ SYSTEM OK
 ✗ SYSTEM FAILURE
 ☑ FAILURE FIXED
 ☒ FAILURE NOT FIXED

M... 2013 Month/Year

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

July 1, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
June Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of June 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe Lockwood

GUNNELL LUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												

11/12 - Fell Down
Fixed

Key

SYSTEM OK

FAILURE FIXED

FAILURE NOT FIXED

South Plainfield 6/5/2003

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

August 1, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
July Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of July 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED (S/N)	REVIEWED (S/N)
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓	Fence 5 ft				
15	✓	✓	✓	✓	✓	✓	✓	✓	Fence repaired				
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☐ SYSTEM FAILURE ☑ FAILURE FIXED ☒ FAILURE NOT FIXED

7/2003 Month/Year

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

September 2, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
August Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of August 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe Lockwood

CORNELIUS JUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION		
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30													
31													

Key: ✓ SYSTEM OK
☐ SYSTEM FAILURE
☒ FAILURE FIXED
☐ FAILURE NOT FIXED

Month/Year 8/2003

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200
FAX (973) 578-8845

October 3, 2003

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
September Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of September 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT. Joe Lackwood - South Plain Field

CORNELL JUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDING AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK (X) FAILURE FIXED (N) FAILURE NOT FIXED

C. AT. ~~500~~ 3

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

November 4, 2003

(973) 589-4200
FAX (973) 578-8845

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
October Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of October 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

ATT Joe, Lack work
OPERATIONS AND MAINTENANCE LOG

30
South Plainfield
SITE OPERATIONS PLAN
SITE STABILIZATION AND REMOVAL ACTION

SYSTEMS TO BE INSPECTED									OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
DAY OF MONTH	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	○	○	○	○	○	○	○	○					
5	○	○	○	○	○	○	○	○					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	○	○	○	○	○	○	○	○					
12	○	○	○	○	○	○	○	○					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	○	○	○	○	○	○	○	○					
19	○	○	○	○	○	○	○	○					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	○	○	○	○	○	○	○	○					
26	○	○	○	○	○	○	○	○					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☐ FAILURE FIXED
 □ SYSTEM FAILURE ☒ FAILURE NOT FIXED

OCT 2003

Month/Year

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

December 1, 2003

(973) 589-4200
FAX (973) 578-8845

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
November Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of November 2003.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe Lockwood South Plain Field ID

NOV
2003

CORNELL JUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDING AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1													
2													
3													
4													
5													
6													
7										- Repair side fence			
8													
9													
10													
11										Fixed			
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													

Key

✓ SYSTEM OK

⊠ FAILURE FIXED

NOV 2003

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

December 31, 2003

(973) 589-4200
FAX (973) 578-8845

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837


Re: Cornell-Dubilier Electronics Site
December Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of December 2003. Additionally, we are diligently working on the Site Summary Report as requested. Once completed, we will forward to you for your review.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT Joe Lockwood

South Plainfield

JORNEL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDED AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓				John	John
2	✓	✓	✓	✓	✓	✓	✓	✓				John	John
3	✓	✓	✓	✓	✓	✓	✓	✓				John	John
4	✓	✓	✓	✓	✓	✓	✓	✓				John	John
5	✓	✓	✓	✓	✓	✓	✓	✓				John	John
6	✓	✓	✓	✓	✓	✓	✓	✓				John	John
7	✓	✓	✓	✓	✓	✓	✓	✓				John	John
8	✓	✓	✓	✓	✓	✓	✓	✓				John	John
9	✓	✓	✓	✓	✓	✓	✓	✓				John	John
10	✓	✓	✓	✓	✓	✓	✓	✓				John	John
11	✓	✓	✓	✓	✓	✓	✓	✓				John	John
12	✓	✓	✓	✓	✓	✓	✓	✓				John	John
13	✓	✓	✓	✓	✓	✓	✓	✓				John	John
14	✓	✓	✓	✓	✓	✓	✓	✓				John	John
15	✓	✓	✓	✓	✓	✓	✓	✓				John	John
16	✓	✓	✓	✓	✓	✓	✓	✓				John	John
17	✓	✓	✓	✓	✓	✓	✓	✓				John	John
18	✓	✓	✓	✓	✓	✓	✓	✓				John	John
19	✓	✓	✓	✓	✓	✓	✓	✓				John	John
20	✓	✓	✓	✓	✓	✓	✓	✓				John	John
21	✓	✓	✓	✓	✓	✓	✓	✓				John	John
22	✓	✓	✓	✓	✓	✓	✓	✓				John	John
23	✓	✓	✓	✓	✓	✓	✓	✓				John	John
24	✓	✓	✓	✓	✓	✓	✓	✓				John	John
25	✓	✓	✓	✓	✓	✓	✓	✓				John	John
26	✓	✓	✓	✓	✓	✓	✓	✓				John	John
27	✓	✓	✓	✓	✓	✓	✓	✓				John	John
28	✓	✓	✓	✓	✓	✓	✓	✓				John	John
29	✓	✓	✓	✓	✓	✓	✓	✓				John	John
30	✓	✓	✓	✓	✓	✓	✓	✓				John	John
31	✓	✓	✓	✓	✓	✓	✓	✓				John	John

Key: ✓ SYSTEM OK (X) FAILURE FIXED
 (1) SYSTEM FAILURE (2) FAILURE NOT FIXED

Month/Year Dec. 2003

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

February 5, 2004

(973) 589-4200
FAX (973) 578-8845

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
January Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of January 2004.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

ATT. Joe Lockwood

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED								OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	SEEDING AREAS	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓	✓					
14	✓	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓	✓					
17	✓	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK □ SYSTEM FAILURE [X] FAILURE FIXED [] FAILURE NOT FIXED

Jan

Month/Year 1/2004

DSC of Newark Enterprises, Inc.

70 BLANCHARD STREET
NEWARK, NEW JERSEY 07105

(973) 589-4200

FAX (973) 578-8845

March 1, 2004

Mr. Eric Wilson
On-Scene Coordinator
USEPA Region II
ERRD/RAB (MS-211)
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Cornell-Dubilier Electronics Site
February Operations & Maintenance Log Submission

Dear Mr. Wilson:

As required by the Site Operations Plan and to ensure compliance with EPA Administrative Order Index No. II-CERCLA-97-0109, attached please find a copy of the Operations and Maintenance Log for the month of February 2004.

Should you have any questions regarding this transmittal, please do not hesitate to call so that we may discuss them.

Sincerely,
DSC of Newark Enterprises, Inc.



Joseph R. Lockwood
Environmental Compliance Coordinator

cc: L. Coraci
File

CORNELL DUBILIER ELECTRONICS SITE
SOUTH PLAINFIELD, NEW JERSEY

OPERATIONS AND MAINTENANCE LOG

SITE OPERATIONS PLAN:
SITE STABILIZATION AND REMOVAL ACTION

DAY OF MONTH	SYSTEMS TO BE INSPECTED							OPERATIONS & MAINTENANCE ACTIVITY			CERTIFICATION	
	PAVING	CURBS	INLET PROTECTION	SEDIMENT BARRIER	CHAIN LINK FENCE	SNOW FENCE	SILT FENCE	ACTION REQUIRED	REPAIRS ORDERED	REMARKS	INSPECTED BY	REVIEWED BY
1	✓	✓	✓	✓	✓	✓	✓					
2	✓	✓	✓	✓	✓	✓	✓					
3	✓	✓	✓	✓	✓	✓	✓					
4	✓	✓	✓	✓	✓	✓	✓					
5	✓	✓	✓	✓	✓	✓	✓					
6	✓	✓	✓	✓	✓	✓	✓					
7	✓	✓	✓	✓	✓	✓	✓					
8	✓	✓	✓	✓	✓	✓	✓					
9	✓	✓	✓	✓	✓	✓	✓					
10	✓	✓	✓	✓	✓	✓	✓					
11	✓	✓	✓	✓	✓	✓	✓					
12	✓	✓	✓	✓	✓	✓	✓					
13	✓	✓	✓	✓	✓	✓	✓			system Failure - fence down - Building 11#		
14	✓	✓	✓	✓	✓	✓	✓					
15	✓	✓	✓	✓	✓	✓	✓					
16	✓	✓	✓	✓	✓	✓	✓			Fixed		
17	✓	✓	✓	✓	✓	✓	✓					
18	✓	✓	✓	✓	✓	✓	✓					
19	✓	✓	✓	✓	✓	✓	✓					
20	✓	✓	✓	✓	✓	✓	✓					
21	✓	✓	✓	✓	✓	✓	✓					
22	✓	✓	✓	✓	✓	✓	✓					
23	✓	✓	✓	✓	✓	✓	✓					
24	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓					
26	✓	✓	✓	✓	✓	✓	✓					
27	✓	✓	✓	✓	✓	✓	✓					
28	✓	✓	✓	✓	✓	✓	✓					
29	✓	✓	✓	✓	✓	✓	✓					
30	✓	✓	✓	✓	✓	✓	✓					
31	✓	✓	✓	✓	✓	✓	✓					

Key: ✓ SYSTEM OK ☐ SYSTEM FAILURE ☑ FAILURE FIXED ☒ FAILURE NOT FIXED

Feb

Month/Year 2004